















	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: -		
	GALVANIZING ACCORDING: EN ISO 1461				
	BEND RADIUS UNLESS DEFINED Ri=t		STATUS: Released		
	GENERAL ROUGHNESS Ra ✓	DIMENSION: ± 10	ANGLE: ± 1°	MODEL NUMBER TCA0082	REVISION: 0
	DESCRIPTION: Container Top CT-S-806				
	SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 13-03-2024 MODIFIED BY: AVA MASS: 4960,4 kg	APPROVED ON: 15-03-2024 APPROVED BY: BVB Sheet 1 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					

DRAWING NAME: TCA0082








	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: -		
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released		
	BEND RADIUS UNLESS DEFINED R _i =t		REVISION: 0		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		DESCRIPTION: Container Top CT-S-806		
	GENERAL ROUGHNESS R _a ✓	DIMENSION: ± 10	ANGLE: ± 1°	MODEL NUMBER TCA0082	
SCALE: 1:50		UNITS mm	PROJECTION: 	MODIFIED ON: 13-03-2024 MODIFIED BY: AVA MASS: 4960,4 kg	APPROVED ON: 15-03-2024 APPROVED BY: BVB Sheet 2 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					

DRAWING NAME: TCA0082






KROFTMAN®

LASERCUT ACCORDING: EN-ISO 9013-5-4-1			MATERIAL: See List		
MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)			TREATMENT: -		
GALVANIZING ACCORDING: EN ISO 1461			STATUS: Released		
BEND RADIUS UNLESS DEFINED Ri = t					
TOLERANCES UNLESS OTHERWISE SPECIFIED:					
GENERAL ROUGHNESS Ra ✓	DIMENSION: ± 10	ANGLE: ± 1°	MODEL NUMBER TCA0082		REVISION: 0
DESCRIPTION: Container Top CT-S-806					
SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 13-03-2024	APPROVED ON: 15-03-2024	
			MODIFIED BY: AVA	APPROVED BY: BVB	
			MASS: 4960,4 kg	Sheet 3 of 5	Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					



	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: -		
	GALVANIZING ACCORDING: EN ISO 1461				
	BEND RADIUS UNLESS DEFINED Ri=t		STATUS: Released		
	GENERAL ROUGHNESS Ra ✓	DIMENSION: ± 10	ANGLE: ± 1°	MODEL NUMBER TCA0082	REVISION: 0
	DESCRIPTION: Container Top CT-S-806				
	SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 13-03-2024 MODIFIED BY: AVA MASS: 4960,4 kg	APPROVED ON: 15-03-2024 APPROVED BY: BVB Sheet 4 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					

DRAWING NAME: TCA0082



	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: -		
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released		
	BEND RADIUS UNLESS DEFINED Ri=t		REVISION: 0		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		DESCRIPTION: Container Top CT-S-806		
	GENERAL ROUGHNESS Ra ✓	DIMENSION: ± 10	ANGLE: ± 1°	MODEL NUMBER TCA0082	
SCALE: 1:50		UNITS mm	PROJECTION: 	MODIFIED ON: 13-03-2024 MODIFIED BY: AVA MASS: 4960,4 kg	APPROVED ON: 15-03-2024 APPROVED BY: BVB Sheet 5 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					

DRAWING NAME: TCA0082