




ISO containers  
Optional end walls







High-Cube containers  
Optional end walls







<b>KROFTMAN</b>	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: -	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Under Review	
	BEND RADIUS UNLESS DEFINED R <sub>t</sub> =t		REVISION: <b>2</b>	
TOLERANCES UNLESS OTHERWISE SPECIFIED:				
GENERAL ROUGHNESS R <sub>a</sub> ✓	DIMENSION: ±	ANGLE: ±°	MODEL NUMBER <b>TCA0076</b>	
DESCRIPTION: <b>Container Top CT-S-812</b>				
SCALE: 1:50	UNITS: mm	PROJECTION: 	MODIFIED ON: 13-03-2024	APPROVED ON:
			MODIFIED BY: AVA	APPROVED BY:
			MASS: 7310,8 kg	Sheet 1 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited				

DRAWING NAME: TCA0076







<b>KROFTMAN</b>	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: -	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Under Review	
	BEND RADIUS UNLESS DEFINED R <sub>i</sub> =1		REVISION: 2	
TOLERANCES UNLESS OTHERWISE SPECIFIED:				
GENERAL ROUGHNESS Ra ✓	DIMENSION: ±	ANGLE: ±°	MODEL NUMBER TCA0076	
DESCRIPTION: Container Top CT-S-812				
SCALE: 1:50	UNITS: mm	PROJECTION:	MODIFIED ON: 13-03-2024	APPROVED ON:
			MODIFIED BY: AVA	APPROVED BY:
			MASS: 7310,8 kg	Sheet 2 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited				

DRAWING NAME: TCA0076




<b>KROFTMAN</b>	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: -	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Under Review	
	BEND RADIUS UNLESS DEFINED R <sub>i</sub> =1		REVISION: <b>2</b>	
TOLERANCES UNLESS OTHERWISE SPECIFIED:				
GENERAL ROUGHNESS Ra ✓	DIMENSION: ±	ANGLE: ±°	MODEL NUMBER <b>TCA0076</b>	
DESCRIPTION: <b>Container Top CT-S-812</b>				
SCALE: 1:50	UNITS: mm	PROJECTION: 	MODIFIED ON: 13-03-2024	APPROVED ON:
			MODIFIED BY: AVA	APPROVED BY:
			MASS: 7310,8 kg	Sheet 3 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited				




<b>KROFTMAN</b>	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: -	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Under Review	
	BEND RADIUS UNLESS DEFINED R <sub>t</sub> =1		REVISION: 2	
TOLERANCES UNLESS OTHERWISE SPECIFIED:				
GENERAL ROUGHNESS Ra ✓	DIMENSION: ±	ANGLE: ±°	MODEL NUMBER TCA0076	
DESCRIPTION: Container Top CT-S-812				
SCALE: 1:50	UNITS: mm	PROJECTION: 	MODIFIED ON: 13-03-2024	APPROVED ON:
			MODIFIED BY: AVA	APPROVED BY:
			MASS: 7310,8 kg	Sheet 4 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited				


DRAWING NAME: TCA0076



ISO containers  
Optional end walls



High-Cube containers  
Optional end walls



<b>KROFTMAN</b>	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: -	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Under Review	
	BEND RADIUS UNLESS DEFINED R <sub>i</sub> =t			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				
GENERAL ROUGHNESS Ra ✓	DIMENSION: ±	ANGLE: ±°	MODEL NUMBER TCA0076	REVISION: 2
DESCRIPTION: Container Top CT-S-812				
SCALE: 1:50	UNITS: mm	PROJECTION: 	MODIFIED ON: 13-03-2024	APPROVED ON:
			MODIFIED BY: AVA	APPROVED BY:
			MASS: 7310,8 kg	Sheet 5 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited				

DRAWING NAME: TCA0076