



-View from the front-


PVC Roll-up door



Roller door




ISO containers
Optional end walls



SCALE 1:200


ISO containers
Optional end walls




SCALE 1:200

-View from the front-


PVC Roll-up door



Roller door




High-Cube containers
Optional end walls



SCALE 1:200




High-Cube containers
Optional end walls




SCALE 1:200

KROFTMAN	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released	
	BEND RADIUS UNLESS DEFINED R _i =1		REVISION: 0	
TOLERANCES UNLESS OTHERWISE SPECIFIED:				
GENERAL ROUGHNESS Ra x	DIMENSION: ± x	ANGLE: ± x°	MODEL NUMBER PRA00455_ISO_HC	
DESCRIPTION: Workbox ISO and HC				
SCALE: 1:50	UNITS: mm	PROJECTION: 	MODIFIED ON: 10-01-2025	APPROVED ON: 19-05-2025
			MODIFIED BY: AVA	APPROVED BY: BVB
			MASS: 7721,0 kg	Sheet 1 of 6 Size: A2

-View from the front-






SCALE 1:200




SCALE 1:200

-View from the front-



SCALE 1:200





SCALE 1:200


KROFTMAN	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released	
	BEND RADIUS UNLESS DEFINED R _i =1		REVISION: 0	
TOLERANCES UNLESS OTHERWISE SPECIFIED:				
GENERAL ROUGHNESS Ra ✓	DIMENSION: ±x	ANGLE: ±x°	MODEL NUMBER PRA00455_ISO_HC	REVISION: 0
DESCRIPTION: Workbox ISO and HC				
SCALE: 1:50	UNITS: mm	PROJECTION: 	MODIFIED ON: 10-01-2025	APPROVED ON: 19-05-2025
			MODIFIED BY: AVA	APPROVED BY: BVB
			MASS: 7721,0 kg	Sheet 2 of 6 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited				

DRAWING NAME: PRA00455_ISO_HC MODEL VERSION: 0.4

Closed end wall -view from the back-




ISO containers
Optional end walls





SCALE 1:200

ISO containers
Optional end walls




SCALE 1:200

Closed end wall -view from the back-




High-Cube containers
Optional end walls



SCALE 1:200

High-Cube containers
Optional end walls




SCALE 1:200


KROFTMAN	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released	
	BEND RADIUS UNLESS DEFINED R _i =t		REVISION: 0	
TOLERANCES UNLESS OTHERWISE SPECIFIED:				
GENERAL ROUGHNESS R _a ✓	DIMENSION: ±x	ANGLE: ±x°	MODEL NUMBER PRA00455_ISO_HC	REVISION: 0
DESCRIPTION: Workbox ISO and HC				
SCALE: 1:50	UNITS: mm	PROJECTION: 	MODIFIED ON: 10-01-2025	APPROVED ON: 19-05-2025
			MODIFIED BY: AVA	APPROVED BY: BVB
			MASS: 7721,0 kg	Sheet 3 of 6 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited				

-View from the left side-


PVC Roll-up door



PVC Roll-up door




ISO containers
Optional end walls



SCALE 1:200


ISO containers
Optional end walls




SCALE 1:200

-View from the left side-


Roller door



Roller door




High-Cube containers
Optional end walls



SCALE 1:200

High-Cube containers
Optional end walls




SCALE 1:200


KROFTMAN	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released	
	BEND RADIUS UNLESS DEFINED R _i =1		MODEL NUMBER PRA00455_ISO_HC	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		REVISION: 0		
GENERAL ROUGHNESS Ra x	DIMENSION: ±x	ANGLE: ±x°	DESCRIPTION: Workbox ISO and HC	
SCALE: 1:50	UNITS: mm	PROJECTION: 	MODIFIED ON: 10-01-2025	APPROVED ON: 19-05-2025
			MODIFIED BY: AVA	APPROVED BY: BVB
			MASS: 7721,0 kg	Sheet 4 of 6 Size: A2

-View from the top-


PVC Roll-up door



PVC Roll-up door




ISO containers
Optional end walls




SCALE 1:200

ISO containers
Optional end walls




SCALE 1:200

High-Cube containers
Optional end walls



SCALE 1:200

High-Cube containers
Optional end walls




SCALE 1:200


KROFTMAN	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released	
	BEND RADIUS UNLESS DEFINED R _i =1			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				
GENERAL ROUGHNESS Ra x	DIMENSION: ± x	ANGLE: ± x°	MODEL NUMBER PRA00455_ISO_HC	REVISION: 0
DESCRIPTION: Workbox ISO and HC				
SCALE: 1:50	UNITS: mm	PROJECTION: 	MODIFIED ON: 10-01-2025	APPROVED ON: 19-05-2025
			MODIFIED BY: AVA	APPROVED BY: BVB
			MASS: 7721,0 kg	Sheet 5 of 6 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited				

DRAWING NAME: PRA00455_ISO_HC MODEL VERSION: 0.4

-View from the front-




ISO containers
Optional end walls




SCALE 1:200

-View from the front-



High-Cube containers
Optional end walls



SCALE 1:200

KROFTMAN	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released	
	BEND RADIUS UNLESS DEFINED R _t =1		REVISION: 0	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		MODEL NUMBER PRA00455_ISO_HC		
GENERAL ROUGHNESS Ra x ✓	DIMENSION: ± x	ANGLE: ± x°	DESCRIPTION: Workbox ISO and HC	
SCALE: 1:50	UNITS: mm	PROJECTION: 	MODIFIED ON: 10-01-2025	APPROVED ON: 19-05-2025
			MODIFIED BY: AVA	APPROVED BY: BVB
			MASS: 7721,0 kg	Sheet 6 of 6 Size: A2

© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited

DRAWING NAME: PRA00455_ISO_HC MODEL VERSION: 0.4