




Closed end wall
-view from the back-




ISO containers
Optional end walls



SCALE 1:200




ISO containers
Optional end walls




SCALE 1:200


Closed end wall
-view from the back-




High-Cube containers
Optional end walls



SCALE 1:200




High-Cube containers
Optional end walls




SCALE 1:200

KROFTMAN	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released	
	BEND RADIUS UNLESS DEFINED R _t =1		MODEL NUMBER PRA00544	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		REVISION: 1		
GENERAL ROUGHNESS Ra x	DIMENSION: ± x	ANGLE: ± x°	DESCRIPTION: WB606 Workbox overkapping	
SCALE: 1:50	UNITS: mm	PROJECTION: 	MODIFIED ON: 28-05-2025	APPROVED ON: 28-05-2025
			MODIFIED BY: AVA	APPROVED BY: BVB
			MASS: 1333,2 kg	Sheet 1 of 4
				Size: A2


Closed end wall
-view from the right side-




ISO containers
Optional end walls



SCALE 1:200




ISO containers
Optional end walls




SCALE 1:200


Closed end wall
-view from the right side-




High-Cube containers
Optional end walls



SCALE 1:200





High-Cube containers
Optional end walls




SCALE 1:200

KROFTMAN	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released	
	BEND RADIUS UNLESS DEFINED R _i =t			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				
GENERAL ROUGHNESS Ra x	DIMENSION: ±x	ANGLE: ±x°	MODEL NUMBER PRA00544	REVISION: 1
DESCRIPTION: WB606 Workbox overkapping				
SCALE: 1:50	UNITS: mm	PROJECTION: 	MODIFIED ON: 28-05-2025	APPROVED ON: 28-05-2025
			MODIFIED BY: AVA	APPROVED BY: BVB
			MASS: 1333,2 kg	Sheet 2 of 4 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited				

Closed end wall
-view from the right side-




ISO containers
Optional end walls




SCALE 1:200

ISO containers
Optional end walls




SCALE 1:200

High-Cube containers
Optional end walls



SCALE 1:200


High-Cube containers
Optional end walls




SCALE 1:200

KROFTMAN	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released	
	BEND RADIUS UNLESS DEFINED R _i =1			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				
GENERAL ROUGHNESS Ra x	DIMENSION: ± x	ANGLE: ± x°	MODEL NUMBER PRA00544	REVISION: 1
DESCRIPTION: WB606 Workbox overkapping				
SCALE: 1:50	UNITS: mm	PROJECTION: 	MODIFIED ON: 28-05-2025 MODIFIED BY: AVA	APPROVED ON: 28-05-2025 APPROVED BY: BVB
		MASS: 1333,2 kg	Sheet 3 of 4	Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited				

Roof only
-view from the front-




ISO containers
Optional end walls




SCALE 1:200

Roof only
-view from the front-



High-Cube containers
Optional end walls



SCALE 1:200

KROFTMAN	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released	
	BEND RADIUS UNLESS DEFINED R _t =1			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				
GENERAL ROUGHNESS Ra x ✓	DIMENSION: ± x	ANGLE: ± x°	MODEL NUMBER PRA00544	REVISION: 1
DESCRIPTION: WB606 Workbox overkapping				
SCALE: 1:50	UNITS: mm	PROJECTION: 	MODIFIED ON: 28-05-2025	APPROVED ON: 28-05-2025
			MODIFIED BY: AVA	APPROVED BY: BVB
			MASS: 1333,2 kg	Sheet 4 of 4 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited				

DRAWING NAME: PRA00544 MODEL VERSION: 1.3